

according to Regulation (EC) No 1907/2006

BRANOtect AIII

Revision date: 18.11.2020 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BRANOtect AIII

UFI: P7JE-07MJ-P00S-E6VT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

Company name: BRANOpac GmbH

Street: Gottlieb-Daimler-Str. 18-20

Place: D-35423 Lich
Telephone: +49 6404 9142-0
e-mail: info@branopac.de

Contact person: Daniela Röder Telephone: +49 6404 9142-625

e-mail: Labor@branopac.de Internet: www.branopac.de

Responsible Department: Labor

1.4. Emergency telephone +49 6404 9142-0 (Only available during office hours.)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

White mineral oil

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P260 Do not breathe vapour/aerosol.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to industrial incineration plant.



according to Regulation (EC) No 1907/2006

BRANOtect AIII

Revision date: 18.11.2020 Page 2 of 9

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mineral oil-based corrosion protection agent, with petroleum distillates.

Hazardous components

CAS No	Chemical name			Quantity			
	EC No	Index No	REACH No				
	GHS Classification	cation					
1174522-09-8	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics						
	918-481-9	01-2119457273-39					
	Asp. Tox. 1; H304 EUH066						
8042-47-5	White mineral oil						
	232-455-8	01-2119487078-27					
	Asp. Tox. 1; H304						
111-76-2	2-butoxyethanol, butyl cellosolve, e	thylene glycol monobutyl ether		< 2,5 %			
	203-905-0	603-014-00-0	01-2119475108-36				
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H312 H302 H315 H319						

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. IF INHALED: Call a doctor if you feel unwell.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Suitable extinguishing media: Dry extinguishing powder, Foam, Water spray jet.



according to Regulation (EC) No 1907/2006

BRANOtect AIII

Revision date: 18.11.2020 Page 3 of 9

Unsuitable extinguishing media

Strong water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide (CO2), Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Metal surface treatment products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Branopac Lösungen mit System

according to Regulation (EC) No 1907/2006

BRANOtect AIII

Revision date: 18.11.2020 Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

DNEL/DMEL values

CAS No	Substance									
DNEL type	DNEL type		Effect	Value						
8042-47-5	White mineral oil									
Worker DNEL,	long-term	dermal	systemic	220 mg/kg bw/day						
Worker DNEL,	long-term	inhalation	systemic	160 mg/m³						
Consumer DNI	EL, long-term	dermal	systemic	92 mg/kg bw/day						
Consumer DNI	EL, long-term	inhalation	systemic	35 mg/m³						
Consumer DNI	EL, long-term	oral	systemic	40 mg/kg bw/day						

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe vapour/aerosol.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear suitable gloves.: NBR (Nitrile rubber), Thickness of the glove material 0,35 mm, Breakthrough time (maximum wearing time) > 480 min.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light brown
Odour: Gasoline

Test method

pH-Value (at 20 °C): 6 - 7

Brandpac Lösungen mit System

according to Regulation (EC) No 1907/2006

BRANOtect AIII

Revision date: 18.11.2020 Page 5 of 9

Changes in the physical state

Melting point: < -20 °C DIN ISO 3016

Initial boiling point and boiling range: > 180 °C

Flash point: 67 °C DIN EN 22719

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 0,82 g/cm³

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient:

Vapour density:

Evaporation rate:

Solvent content:

not determined
not determined
not determined
70 %

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

When hot, product develops flammable vapours.

10.5. Incompatible materials

Avoid: Oxidising agent.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

BRANOtect Alli

Revision date: 18.11.2020 Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
1174522-09- 8	Hydrocarbons, C10-C13,	n-alkanes, is	soalkanes, c	yclics, < 2% aromatics		
	oral	LD50 mg/kg	> 5000	Rat		
	dermal	LD50 mg/kg	> 5000	Rabbit		
	inhalation (4 h) vapour	LC50	4951 mg/l	Rat		
8042-47-5	White mineral oil					
	oral	LD50 mg/kg	> 5000	Ratte	OECD 401	
	dermal	LD50 mg/kg	> 2000	Kaninchen	OECD 402	
	inhalation (4 h) aerosol	LC50	> 5 mg/l	Ratte	OECD 403	
111-76-2	2-butoxyethanol, butyl ce	llosolve, ethy	ylene glycol i	monobutyl ether		
	oral	LD50 mg/kg	470	Rat		
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1										
CAS No	Chemical name										
	Aquatic toxicity Dose [h] [d] Species Source Method										
111-76-2	2-butoxyethanol, butyl cell	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether									
	Acute fish toxicity	LC50 1490 mg/l	96 h Lepo	omis macrochirus							

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)



according to Regulation (EC) No 1907/2006

BRANOtect AIII

Revision date: 18.11.2020 Page 7 of 9

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	0,81 (25°C)

12.4. Mobility in soil

insoluble in: Water

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

No special environmental measures are necessary.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08);

waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent

mixtures; hazardous waste

List of Wastes Code - used product

140603 WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08);

waste organic solvents, refrigerants and foam/aerosol propellants; other solvents and solvent

mixtures; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

BRANOtect Alli

Revision date: 18.11.2020 Page 8 of 9

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: 2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether

Entry 28: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

2004/42/EC (VOC): 70 %

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

TRGS 615: no use restriction

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

* Data changed compared with the previous version

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service



according to Regulation (EC) No 1907/2006

BRANOtect AIII

Revision date: 18.11.2020 Page 9 of 9

LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

Relevant H and EUH statements (number and full text)

	•
H302	Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.

H332 Harmful if inhaled.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Korrosionsschutzfluid	-	-	14	7, 10, 13	-	-	-	2

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

SU: Sectors of use PROC: Process categories AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Revision No: 1,06 GB - EN Print date: 01.12.2020